ELSEVIER

Journal of Materials Processing Technology 189 (2007) 483–484

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 189

Altan, T., 36
Ambrogio, G., 143
Askari, M., 296
Ates, H., 126
Auchet, S., 211

Bahloul, R., 441
Balestrassi, P.P., 26
Barlat, F., 45
Batoz, J.-L., 334
Bautista, A., 344
Bayindir, R., 126
Bayraktar, E., 114
Beigh, M.O., 178
Bhattacharyya, B., 169
Bian, J., 473
Bian, X.F., 237
Boucher, J., 211
Brousseau, E.B., 418

Cardoso, R., 374
Carrera, E., 206
Cavalcante, L.S., 316
Cerri, E., 97
Chevalier, J.P., 114
Colás, R., 206

Davim, J.P., 192, 374
De Marco, P.P., 97
Devillers, L., 114
Devillez, A., 73, 85
Dilik, T., 320
Dimov, S.S., 418
Dudzinski, D., 73, 85
Duflou, J., 65
Dündar, T., 320
Duy, V.H., 384

Ebeid, S.J., 466
Elkhatib, M., 132
El-Taweel, T.A., 466

Ferreira, J.R., 26
Figueira, L., 192
Filice, L., 143, 284
Fontaine, M., 73, 85

Gangopadhyay, S., 169
Ganjigatti, J.P., 352
Ghamsari, M.S., 296
Gilbert, T., 409
Gokhale, N.M., 178
Gouthama, 224
Griffiths, C.A., 418
Guan, G., 13
Guyot, B.M., 162
Guzmán, S., 344

Hassanzadeh, M., 132
Hayes, J.P., 401
Hewidy, M.S., 466
Hiziroglu, S., 320
Hong, S.-T., 477
Houabes, M., 132
Hoyle, R.T., 418
Hu, P., 262
Huang, J., 256
Huh, H., 450
Hwang, S.C., 268
Hyun, C.Y., 219

Janghorban, K., 1
Jiang, H., 182
Jiang, J., 247
Jiang, Y., 13
Jin, L.-Z., 428
Joun, M.S., 459
Jun, B.Y., 459

Kang, S.M., 459
Kang, Y.H., 268
Kaplan, D., 114
Karabin, M.E., 45
Karpat, Y., 192
Kawai, K., 392
Kelly, C.A., 138
Ketabchi, M., 242
Keyson, D., 316
Kim, E.H., 268
Kim, H.K., 384
Kim, S.B., 384
Kim, S.-H., 450
Kim, W., 392
Koyama, H., 392
Krain, H.R., 153
Krstic, V.D., 409
Kumagai, S., 310
Kurtoğlu, A., 320

Lakra, J., 178
Larbot, A., 379
Lavender, C.A., 477
Lee, J.H., 268
Lee, M.C., 459
Lee, W.H., 219
Leo, P., 97
Li, D., 262
Li, Z., 13
Liang, H., 473
Lin, G., 256
Lin, H.-D., 19
Lin, J.-C., 231
Liu, W., 473
Liu, W.Y., 273
Liu, X.F., 237
Liu, X.J., 237
Liu, X.Y., 247
Liu, Y., 379
Liu, Y.J., 273
LiuJie, X., 374
Longo, E., 316
Lu, D., 13
Luis, C.J., 301
Luo, Y., 262, 473

Machado, C., 132
Mahshid, S., 296
Martin, P., 211
Méausoone, P.-J., 211
Mercier, F., 334
Metz, R., 132
Micari, F., 284
Mkaddem, A., 325, 441
Modenesi, P.J., 199
Mohapatra, D., 279
Moral, C., 344
Moufki, A., 73, 85

Ngo, M.D., 384
Nguyen, T.H., 182
Nien, M.H., 231

Ojha, S.N., 224
Oudjene, M., 334
Özel, T., 192

Paiva, A.P., 26
Palleda, M., 292
Pan, Y.C., 237
Pansiot, J., 132
Pantsar, H., 435
Park, H.S., 268
Park, R.H., 459
Penazzi, L., 334
Peng, Y., 262
Perrin, L., 211

Elsevier B.V.
doi:10.1016/S0924-0136(07)00338-X

Persin, M., 379
Phuong, N.T., 384
Prabhakaran, K., 178
Pratihar, D.K., 352
Prud'homme, M., 182
Puertas, I., 301
Puyanē, R., 132

Reis, R.I., 199
Ribeiro, S., 138
Richards, N.L., 162
Ridgway, K., 153
Rizzuti, S., 284
Rodríguez, A., 206
Roy Choudhury, A., 352
Rudrakshi, G.B., 224

Saidane, D., 325
Sajjadi, S.A., 107
Saklakoğlu, N., 367
Sandström, R., 428
Santos, C., 138
Sarkar, B.R., 169
Sarkar, D., 279
Sato, N., 310
Sbarski, I., 401
Schrader, T., 36
Schultz, R.W., 45
Settineri, L., 284
Seyedrezai, H., 242
Sharma, S.C., 178
Sharman, A.R.C., 153
Sheng, Z.Q., 58
Shirgaokar, M., 36
Shivpuri, R., 143
Shokrollahi, H., 1
Silva, O.M.M., 138
Simal, C., 344
Simões, A.Z., 316
Solomon, M., 401
Song, J.-H., 450
Souza, I.A., 316
Souza, J.V.C., 138
Strazzanti, M., 58
Strecker, K., 138
Sun, J., 473
Szekeres, A., 65

Takeda, K., 310
Talamantes, J., 206
Tang, Y., 273
Taylor, R., 58
Tran, N., 401
Tunçkol, Y., 65

Umbrello, D., 143, 284

Valtierra, S., 206
Vanherck, P., 65
Varela, J.A., 316
Vasconcelos, J.S., 316
Velasco, F., 344
Volanti, D.P., 316

Wan, Z.P., 273

Yoo, J.H., 268
Youssef, A.H., 466
Yussuf, A.A., 401

Zak, G., 409
Zebarjad, S.M., 107
Zhang, H., 256
Zhao, D.G., 237
Zhou, R., 13
Zhou, J., 379

ELSEVIER

Journal of Materials Processing Technology 189 (2007) 485–491

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 189

Abrasive water jet machining
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292
Accuracy of castings and moulds
Dimensional variations of castings and moulds in the ceramic mould casting process, 247
Acetone
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292
Adaptive modeling
Adaptive modeling and shape control of laminated plates using piezoelectric actuators, 231
AISI H13 steel
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Al–Cu alloy
Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites, 237
Aluminium nitride
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409
Anionic coordination polyhedrons
Preparation and characterization of nano-zinc oxide, 379
Annealing
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162
Artificial neural network (ANN)
Prediction on tribological behaviour of composite PEEK-CF30 using artificial neural networks, 374

Bainite
Isothermal transformation of austenite to bainite in high carbon steels, 107
Ball-end milling
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation, 73
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Bead geometry
Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process, 352
Bending
Experimental approach and RSM procedure on the examination of springback in wiping-die bending processes, 325
Bifurcating chip cutting
High efficient production of slim long metal fibers using bifurcating chip cutting, 273
Blank holding force
A simulation-based design parameter study in the stamping process of an automotive member, 450
Blank size
A simulation-based design parameter study in the stamping process of an automotive member, 450
Brazing
Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers, 256
BSTSn
Domestic microwave oven adapted for fast heat treatment of $Ba_{0.5}Sr_{0.5}(Ti_{0.8}Sn_{0.2})O_3$ powders, 316
Bulb shield
FEM analysis and design bulb shield progressive draw die, 58
Burning-out process
Dimensional variations of castings and moulds in the ceramic mould casting process, 247

Carbon fibers
Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers, 256
Casting
Measurement of residual stresses in cast aluminium engine blocks, 206
C-curve
Isothermal transformation of austenite to bainite in high carbon steels, 107
Ceramic mould casting
Dimensional variations of castings and moulds in the ceramic mould casting process, 247
Ceramics
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409
Cf/SiC composite
Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers, 256
Characteristics
High efficient production of slim long metal fibers using bifurcating chip cutting, 273
Cluster-wise regression
Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process, 352
Cold expansion
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45
Cold forging lubricants
A critical evaluation of the double cup extrusion test for selection of cold forging lubricants, 36
Cold forgings
Prediction of geometric dimensions for cold forgings using the finite element method, 459
Cold working
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162
Commercial-purity nickel
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162

Elsevier B.V.
doi:10.1016/S0924-0136(07)00339-1

Composites (PEEK-CF30)
Prediction on tribological behaviour of composite PEEK-CF30 using artificial neural networks, 374
Conductive ceramics
Methodology for developing technological tablets used in EDM processes of conductive ceramics, 301
Contact forces
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334
Copper
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428
Core loss
Soft magnetic composite materials (SMCs), 1
Cracking
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45
Crystallinity
Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution, 296
Crystallization
Preparation of $MgO–MgAl_2O_4$ composite for refractory application, 279
Current
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13
Cutting conditions
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Cutting forces
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation, 73
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Influence of helix angle and density variation on the cutting force in wood-based products machining, 211
Cutting temperature
On the effectiveness of Finite Element simulation of orthogonal cutting with particular reference to temperature prediction, 284
Cutting tools
Optimisation of tool life and productivity when end milling Inconel 718TM, 153

Damage
Experimental and numerical optimisation of the sheet products geometry using response surface methodology, 441
Decentralized control method
Development of digital gas metal arc welding system, 384
Deep hole
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Dendrite
Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process, 268
Density
Density-improved powder metallurgical ferritic stainless steels for high-temperature applications, 344
Design of experiments
Experimental and numerical optimisation of the sheet products geometry using response surface methodology, 441
Die structural analysis
Prediction of geometric dimensions for cold forgings using the finite element method, 459
Dimensional changes/variability
Dimensional variations of castings and moulds in the ceramic mould casting process, 247
Double cup extrusion test
A critical evaluation of the double cup extrusion test for selection of cold forging lubricants, 36
Draw-bead
A simulation-based design parameter study in the stamping process of an automotive member, 450
Drilling
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310

EDM
Modelling and analysis of EDM_{ED} job surface integrity, 169
Methodology for developing technological tablets used in EDM processes of conductive ceramics, 301
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Electrochemical machining (ECM)
Modelling the performance of ECM assisted by low frequency vibrations, 466
Electrode
A model for melting rate phenomena in GMA welding, 199
Electro-discharge-sintering
Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process, 219
Electrolyte
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178
Electromagnetic stirring
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13
Electron back scattered diffraction
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162
Electrorefining
Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process, 268
Eletrodeposition
Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process, 268
End milling
Optimisation of tool life and productivity when end milling Inconel 718TM, 153
Expanded ferrite
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Experiment
Experimental approach and RSM procedure on the examination of springback in wiping-die bending processes, 325
Experimental design
Experimental study on force measurements for single point incremental forming, 65
Experimental study
Metal flow in wedge indentation of V- and W-shaped tools, 392
Extensometry
Measurement of residual stresses in cast aluminium engine blocks, 206

Fast heat treatment
Domestic microwave oven adapted for fast heat treatment of $Ba_{0.5}Sr_{0.5}(Ti_{0.8}Sn_{0.2})O_3$ powders, 316
FE simulations
A critical evaluation of the double cup extrusion test for selection of cold forging lubricants, 36

FEM
An ANN approach for predicting subsurface residual stresses and the desired cutting conditions during hard turning, 143
On the effectiveness of Finite Element simulation of orthogonal cutting with particular reference to temperature prediction, 284
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334
Finite element analysis
Metal flow in wedge indentation of V- and W-shaped tools, 392
Finite element method
Prediction of geometric dimensions for cold forgings using the finite element method, 459
Flanging of V-shaped sheet metal
The numerical and analytical study on stretch flanging of V-shaped sheet metal, 262
Flat face die
Energy analysis of L-section extrusion using two different streamlined dies, 242
Force
Experimental study on force measurements for single point incremental forming, 65
Formability
A simulation-based design parameter study in the stamping process of an automotive member, 450
Friction
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Friction welding
Low-cost and high sensitively microcontroller based control unit for a friction welding machine, 126
Fuel cell
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178

Generalized reduced gradient (GRG)
A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization, 26
Global approach
Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process, 352
GMA welding
A model for melting rate phenomena in GMA welding, 199
Grain growth in HAZ
Grain growth mechanism during the welding of interstitial free (IF) steels, 114
Growth unit
Preparation and characterization of nano-zinc oxide, 379

Hard machining
An ANN approach for predicting subsurface residual stresses and the desired cutting conditions during hard turning, 143
Hard turning
A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization, 26
Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, 192
Hardness
Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel, 435
Heating
Optimal control of induction heating for semi-solid aluminum alloy forming, 182
High aspect ratio
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
High carbon steel
Isothermal transformation of austenite to bainite in high carbon steels, 107
High efficient
High efficient production of slim long metal fibers using bifurcating chip cutting, 273
High pressure die casting
Hot compression behavior of the AZ91 magnesium alloy produced by high pressure die casting, 97
Hole fabrication
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Homogeneous precipitation
Preparation and characterization of nano-zinc oxide, 379
Hot deformation
Hot compression behavior of the AZ91 magnesium alloy produced by high pressure die casting, 97
Hotelling T^2 multivariate statistics
Computer-aided visual inspection of surface defects in ceramic capacitor chips, 19
Hybrid machining
Modelling the performance of ECM assisted by low frequency vibrations, 466
Hydroforming
Tailoring of mechanical properties of hydroformed aluminum tubes, 477
Hydrolysis
Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution, 296
Hypereutectic aluminum–silicon alloys
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13

Implant
Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process, 219
In situ reaction
Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites, 237
In situ spinel seed
Preparation of MgO–$MgAl_2O_4$ composite for refractory application, 279
Inconel 718
Optimisation of tool life and productivity when end milling Inconel 718TM, 153
Incremental FEM
FEM analysis and design bulb shield progressive draw die, 58
Incremental forming
Experimental study on force measurements for single point incremental forming, 65
Inorganic coating
Soft magnetic composite materials (SMCs), 1
Intermediate section
Energy analysis of L-section extrusion using two different streamlined dies, 242
Interstitial free steels
Grain growth mechanism during the welding of interstitial free (IF) steels, 114
Iron aluminides
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428
Isothermal transformation
Isothermal transformation of austenite to bainite in high carbon steels, 107

Joining
Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers, 256

A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334

Kinetics
Isothermal transformation of austenite to bainite in high carbon steels, 107
Kosipo
Effect of adhesive types on some of the properties of laminated window profiles, 320

Laminated plates
Adaptive modeling and shape control of laminated plates using piezoelectric actuators, 231
Laminated window profiles
Effect of adhesive types on some of the properties of laminated window profiles, 320
LASER and GTAW weldings
Grain growth mechanism during the welding of interstitial free (IF) steels, 114
Laser machining
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409
Laser transformation hardening
Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel, 435
Layered tooling
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334
Light emitting devices
Deposition and tunable photoluminescence of $Zn_{1-x}(Mg,Cd)_xO$ film system, 473
Liquid immiscible alloys
Spray forming and wear characteristics of liquid immiscible alloys, 224
Low carbon steel
Low-cost and high sensitively microcontroller based control unit for a friction welding machine, 126
Low frequency vibrations
Modelling the performance of ECM assisted by low frequency vibrations, 466
L-section extrusion
Energy analysis of L-section extrusion using two different streamlined dies, 242

Machine vision system
Computer-aided visual inspection of surface defects in ceramic capacitor chips, 19
Machining
On the effectiveness of Finite Element simulation of orthogonal cutting with particular reference to temperature prediction, 284
Machining accuracy
Modelling the performance of ECM assisted by low frequency vibrations, 466
Macroplast UR 7221
Effect of adhesive types on some of the properties of laminated window profiles, 320
Magnetic properties
Soft magnetic composite materials (SMCs), 1
Manufacturing
Methodology for developing technological tablets used in EDM processes of conductive ceramics, 301
Maritime pine
Effect of adhesive types on some of the properties of laminated window profiles, 320
Material removal rate
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292

Mathematical model
The numerical and analytical study on stretch flanging of V-shaped sheet metal, 262
Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel, 435
Mechanical properties
α-SiAlON–SiC composites obtained by gas-pressure sintering and hot-pressing, 138
Measurement of residual stresses in cast aluminium engine blocks, 206
Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites, 237
Tailoring of mechanical properties of hydroformed aluminum tubes, 477
Melt atomization
Nitrogen spray atomization of molten tin metal: Powder morphology characteristics, 132
Metal
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Metal flow
Energy analysis of L-section extrusion using two different streamlined dies, 242
Metal flow in wedge indentation of V- and W-shaped tools, 392
A simulation-based design parameter study in the stamping process of an automotive member, 450
Metal processing
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Mg alloys
Hot compression behavior of the AZ91 magnesium alloy produced by high pressure die casting, 97
$MgAl_2O_4$ composite
Preparation of MgO–$MgAl_2O_4$ composite for refractory application, 279
Microcontroller
Low-cost and high sensitively microcontroller based control unit for a friction welding machine, 126
Microfluidics
Sealing of polymeric-microfluidic devices by using high frequency electromagnetic field and screen printing technique, 401
Micro-injection moulding
The effects of tool surface quality in micro-injection moulding, 418
Micromachining
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409
Microstructure
α-SiAlON–SiC composites obtained by gas-pressure sintering and hot-pressing, 138
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178
Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process, 219
Spray forming and wear characteristics of liquid immiscible alloys, 224
Preparation of MgO–$MgAl_2O_4$ composite for refractory application, 279
Microwave
Sealing of polymeric-microfluidic devices by using high frequency electromagnetic field and screen printing technique, 401
Microwave processing
Domestic microwave oven adapted for fast heat treatment of $Ba_{0.5}Sr_{0.5}(Ti_{0.8}Sn_{0.2})O_3$ powders, 316
MIG welding
Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process, 352

Mixed ceramic
A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization, 26
MMCs
Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites, 237
Modelling
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162
A model for melting rate phenomena in GMA welding, 199
Modelling the performance of ECM assisted by low frequency vibrations, 466
Molten salt
Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process, 268
Multi-tooth tool
High efficient production of slim long metal fibers using bifurcating chip cutting, 273

Narrow
Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode, 310
Near-infrared laser
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409
Neural network
An ANN approach for predicting subsurface residual stresses and the desired cutting conditions during hard turning, 143
Neural network models
Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, 192
Normal anisotropy
The numerical and analytical study on stretch flanging of V-shaped sheet metal, 262
Normal rake angle
Influence of helix angle and density variation on the cutting force in wood-based products machining, 211
Numerical simulation
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45

One-step FEM
FEM analysis and design bulb shield progressive draw die, 58
Optimization
Optimal control of induction heating for semi-solid aluminum alloy forming, 182
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334
Organic coating
Soft magnetic composite materials (SMCs), 1
Orientation adhesion
Preparation and characterization of nano-zinc oxide, 379
Overlap sleeve
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45
Oxidation
Density-improved powder metallurgical ferritic stainless steels for high-temperature applications, 344

Part quality
The effects of tool surface quality in micro-injection moulding, 418
Particles
Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites, 237
Peptization
Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution, 296
Phosphoric acid
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292
Photoluminescence
Domestic microwave oven adapted for fast heat treatment of $Ba_{0.5}Sr_{0.5}(Ti_{0.8}Sn_{0.2})O_3$ powders, 316
Deposition and tunable photoluminescence of $Zn_{1-x}(Mg,Cd)_xO$ film system, 473
Piezoelectric actuator
Adaptive modeling and shape control of laminated plates using piezoelectric actuators, 231
Plasma immersion ion implantation
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Plastic anisotropy
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45
Ploughing
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Polymer
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292
Polymer welding
Sealing of polymeric-microfluidic devices by using high frequency electromagnetic field and screen printing technique, 401
Porous
Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process, 219
Powder
Nitrogen spray atomization of molten tin metal: Powder morphology characteristics, 132
Powder metallurgy
Density-improved powder metallurgical ferritic stainless steels for high-temperature applications, 344
Power supply
A model for melting rate phenomena in GMA welding, 199
Precipitation
Hot compression behavior of the AZ91 magnesium alloy produced by high pressure die casting, 97
Tailoring of mechanical properties of hydroformed aluminum tubes, 477
Primary Si
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13
Principal component analysis (PCA)
A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization, 26
Progressive drawing
FEM analysis and design bulb shield progressive draw die, 58
Proportional controller
Development of digital gas metal arc welding system, 384
Prototyping
Experimental study on force measurements for single point incremental forming, 65
PS-GMAW
Development of digital gas metal arc welding system, 384
PVAc
Effect of adhesive types on some of the properties of laminated window profiles, 320

Quasi-flow corner theory
The numerical and analytical study on stretch flanging of V-shaped sheet metal, 262

Rapid prototyping
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334

Refinement
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13
Refractories
Preparation of MgO–$MgAl_2O_4$ composite for refractory application, 279
Regression analysis
Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process, 352
Residual stresses
An ANN approach for predicting subsurface residual stresses and the desired cutting conditions during hard turning, 143
Measurement of residual stresses in cast aluminium engine blocks, 206
Response surface methodology (RSM)
A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization, 26
Modelling and analysis of EDM_{ED} job surface integrity, 169
RSM
Experimental and numerical optimisation of the sheet products geometry using response surface methodology, 441

Screen printing
Sealing of polymeric-microfluidic devices by using high frequency electromagnetic field and screen printing technique, 401
Semi-solid processing
Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring, 13
Separation factor
Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process, 268
Shape control
Adaptive modeling and shape control of laminated plates using piezoelectric actuators, 231
Shear rate
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428
Shear-thinning fluid
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428
α-SiAlON–SiC composite
α-SiAlON–SiC composites obtained by gas-pressure sintering and hot-pressing, 138
Simulation
Experimental and numerical optimisation of the sheet products geometry using response surface methodology, 441
Sintering
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178
Preparation of MgO–$MgAl_2O_4$ composite for refractory application, 279
Sintering processes
α-SiAlON–SiC composites obtained by gas-pressure sintering and hot-pressing, 138
Sliding mode controller
Development of digital gas metal arc welding system, 384
Slim long metal fiber
High efficient production of slim long metal fibers using bifurcating chip cutting, 273
Soft magnetic composites
Soft magnetic composite materials (SMCs), 1
Solid state diffusion
Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel, 435
Solidification
Spray forming and wear characteristics of liquid immiscible alloys, 224
Special grain boundaries
A preliminary model to predict the special grain boundary fraction in commercial-purity nickel, 162
Split sleeve
Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve, 45
Spray drying
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178
Spray forming
Spray forming and wear characteristics of liquid immiscible alloys, 224
Springback
Experimental approach and RSM procedure on the examination of springback in wiping-die bending processes, 325
Springback analysis
Prediction of geometric dimensions for cold forgings using the finite element method, 459
Stainless steels
Density-improved powder metallurgical ferritic stainless steels for high-temperature applications, 344
Stamping process
A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws, 334
A simulation-based design parameter study in the stamping process of an automotive member, 450
Stand off distance
A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process, 292
Steady non-Newtonian flow
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428
Steels
Experimental approach and RSM procedure on the examination of springback in wiping-die bending processes, 325
Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel, 435
Experimental and numerical optimisation of the sheet products geometry using response surface methodology, 441
Streamlined die
Energy analysis of L-section extrusion using two different streamlined dies, 242
Strength properties
Effect of adhesive types on some of the properties of laminated window profiles, 320
Surface crack density
Modelling and analysis of EDM_{ED} job surface integrity, 169
Surface defect inspection
Computer-aided visual inspection of surface defects in ceramic capacitor chips, 19
Surface distortion
FEM analysis and design bulb shield progressive draw die, 58
Surface finish
The effects of tool surface quality in micro-injection moulding, 418
Surface modification
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Surface roughness
Modelling and analysis of EDM_{ED} job surface integrity, 169
Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, 192
Methodology for developing technological tablets used in EDM processes of conductive ceramics, 301

Tailored blanks
Grain growth mechanism during the welding of interstitial free (IF) steels, 114
Thermomechanical modelling
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation, 73

Thixoforming
Optimal control of induction heating for semi-solid aluminum alloy forming, 182
Ti-6Al-4V
Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process, 219
Ti-alloy
Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers, 256
Tin
Nitrogen spray atomization of molten tin metal: Powder morphology characteristics, 132
TiO_2
Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution, 296
Titanium isopropoxide
Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution, 296
Tool edge direction angle
Influence of helix angle and density variation on the cutting force in wood-based products machining, 211
Tool run-out
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation, 73
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Tool wear
Optimisation of tool life and productivity when end milling Inconel 718TM, 153
Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, 192
Tool–surface inclination
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle, 85
Tool–workpiece inclination
Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation, 73
Total strain theory
The numerical and analytical study on stretch flanging of V-shaped sheet metal, 262
Tribology
Prediction on tribological behaviour of composite PEEK-CF30 using artificial neural networks, 374
Ultrasonic spray pyrolysis
Deposition and tunable photoluminescence of $Zn_{1-x}(Mg,Cd)_xO$ film system, 473
Ultra-violet laser
Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers, 409

Viscosity
Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures, 428

Wavelet characteristics
Computer-aided visual inspection of surface defects in ceramic capacitor chips, 19
Wear
Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation, 367
Wear characteristics
Spray forming and wear characteristics of liquid immiscible alloys, 224
Wedge indentation
Metal flow in wedge indentation of V- and W-shaped tools, 392
Welding parameters
Grain growth mechanism during the welding of interstitial free (IF) steels, 114
WFU
Development of digital gas metal arc welding system, 384
White layer thickness
Modelling and analysis of EDM_{ED} job surface integrity, 169
Wiper inserts
Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, 192
Wire melting rate
A model for melting rate phenomena in GMA welding, 199
Wood
Influence of helix angle and density variation on the cutting force in wood-based products machining, 211

Yttria stabilized zirconia
Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process, 178

Zinc oxide films
Deposition and tunable photoluminescence of $Zn_{1-x}(Mg,Cd)_xO$ film system, 473
Zinc oxide nanocrystals
Preparation and characterization of nano-zinc oxide, 379